




**MRL**<sup>®</sup>

taking you further 

**PRODUCT RANGE 2017**



## Profile

**MRL Tyres Ltd.** belongs to the Malhotra Group of Industries founded by Late Shri C.L Malhotra in 1954 which today indulge in manufacturing of Tyres & Tubes besides other businesses like Tyre, Rubber & Retreading Business, Real Estate & Financing.

Today, MRL Tyres Ltd., is recognized around the world for their quality and endurance at competitive prices and are already a popular brand choice across **85 Countries** through its three brands - Malhotra, Indus and MRL.

Since it's re-inception and acquisition by **Mr. Gopal Malhotra (Chairman and Managing Director)** in mid-2008, MRL Tyres have diversified and enhanced business to include an exhaustive range of tyres with **1700 SKU's in line** and today is an Approved Supplier to **Major Original Equipment Manufacturers (OEM's)**, in INDIA, Europe, Africa and USA.

MRL Tyres is also a proud receiver of "**Capexil EXPORT AWARD**" for EIGHTH consecutive year awarded by Export Council, Ministry of Commerce, India. With TWO state-of-art manufacturing facilities in Uttar Pradesh; the plants are fully equipped with most modern machinery, ranging from Automatic Compound Mixing to the World Class Curing Systems, to Fast and Efficient Tyre Building Machines, all capable of producing tyres as per Highest International Quality Standards.

### TEAM:

At MRL, we are a team of Young, Dedicated & Motivated professionals who are passionate and committed to achieve better results by understanding and meeting customer's requirements. MRL team embodies the corporate values and share the passion for their work. All these elements together have made MRL a strong, future-oriented organization with extraordinary growth perspectives in its field of business.

### WHAT QUALITY MEANS TO US:

MRL Brand: We combine this requirement with our pledge of quality to our customers and that is why right quality is achieved through stringent quality control measures carried out at every stage of activity from incoming Raw Materials to Finishing and Dispatch of Products. Besides In-House Testing, MRL Tyres regularly conducts tests under international regulations outside India as well, which reinforces the confidence R&D puts in each product.

### USP

Our USP lies in Low-cost manufacturing with

- International Quality Standards &
- Using the latest technologies.

At MRL, we simply have only one motto - to help our Customers stay ahead!

### Core Values

- Service, Quality & Customer Satisfaction
- On Time Delivery
- Passion for Excellence
- Nurture Talent, Competency & Willingness
- Respect & Humility

### MOTTO:

At MRL, we simply have only one motto

- To help our Customers stay ahead!



# AGRICULTURE RANGE

Certificate No.: 001-02317-Q

## Certificate of Approval

This is to certify that the Quality Management System at

**MRL TYRES LIMITED**  
(Formerly known as Malhotra Rubbers Limited)

A 1/2, Plot No.10-11 & 12, Site B, Surajpur Industrial Area,  
G.B.Nagar, Greater Noida – 201 306, U.P., India

has been examined by Assessors of QMS Certification Services Pvt.Ltd.  
and found to be conforming to the requirements of

**ISO 9001:2008**

In respect of the following activities:  
**Manufacture, Export and Supply of Pneumatic Automotive Tyres,  
Flaps, Pre Cured Treads, Rubberised Cord Fabrics,  
Hot Rubber, Cushions & Solutions**

This certificate is valid from 25/06/2016 to 15/09/2018\*  
Original Certification 05/09/2003

  
**Sanjay Kaushik**  
Managing Director





QMS Certification Services Pvt. Ltd.  
AFC-1, Ghaziabad - 201 002  
Registered Office: Ghaziabad - 201 002  
Kharakda, B-20A  
Website: www.qmscertification.com

\* Subject to compliance  
\* In case of violation

**ISO**

WJ24K3

**Standards Organisation of Nigeria Conformity Assessment Programme  
Product Certificate (Licensed)**


This document is not and does not constitute in any respect the SONCAP Certificate required for Customs Declaration

PGL No.: L-1011041621 Issuance Date: 23.12.2016 Expiry Date of Certificate: 26.12.2017 Page: 1 / 2      Version: 1	
<b>Beneficiary:</b> MRL TYRES LIMITED (FORMERLY KNOWN AS MALHOTRA RUBBERS LIMITED) TORJA, FIRST FLOOR, MAIN ROAD, INDUSTRIAL AREA SOUTH NAGAR, Site Code: 1006 81014994009 info@mrlyres.com 810200887	Factory Audit Date: 13.12.2016
<b>Supplier's Details:</b> TIN No.: SONCAP No.:	

Item No.	HS Code	Product Description	Country of Origin	Standard Reference
1	4011	SUBJECTUAL TYRES - 8 INCH TO 16 INCH TYRES, BRAND: MRL	India	ISO 4001-2:2005
2	4011	COMMERCIAL TYRES - 14 INCH TO 20 INCH TYRES, BRAND: MRL	India	ISO 4009-1:2001
3	4011	INDUSTRIAL TYRES - 8 INCH TO 20 INCH TYRES, BRAND: MRL	India	ISO 5009-2:1998
4	4011	COMMERCIAL TYRES - 8 INCH TO 16 INCH TYRES, BRAND: MRL	India	ISO 15027:2005

Remarks: SOI ISSUANCE ON THE BASIS OF:-  
TEST REPORT & FACTORY AUDIT REPORT.

**SONCAP**


  
THE UNITED KINGDOM VEHICLE APPROVAL AUTHORITY

COMMUNICATION CONCERNING THE APPROVAL GRANTED (1) APPROVAL EXTENDED (2) APPROVAL REFUSED (3) APPROVAL WITHDRAWN (4) PRODUCTION DEFINITELY DISCONTINUED (5) OF A TYPE OF PNEUMATIC TYRE FOR MOTOR VEHICLES PURSUANT TO REGULATION NO. 106


**E11** Approval No: 106R-011029

Extension No: 00

1. Manufacturer's name or trade mark (as of the type): MALHOTRA, MRL, INDUS
2. Tyre type designation by the manufacturer: FARM SUPER 85
3. Manufacturer's name and address:  
Malhotra Rubbers Ltd  
A 1/2, Plot No. 10-11 & 12, Site B, Surajpur Industrial Area, G.B.Nagar  
Greater Noida – 201306, UP India
4. If applicable, name and address of manufacturer's representative:
5. Summarised description:
  - 5.1. Size of tyre: 400/85R16
  - 5.2. Category of use: Tractor-Drive Wheel – Standard tread
  - 5.3. Structure: diagonal (bias-ply)/non-belted/radial (1)
  - 5.4. Speed category symbol: A8
  - 5.5. Load-capacity index: 149
    - 5.5.1. for traction (implement only): Not Applicable
    - 5.5.2. for trailer (implement only): Not Applicable
  - 5.6. Whether the tyre is to be fitted with or without an inner tube: With / without (1)  
If applicable: 149 B

  
 Issued by the Department for Transport  
 on 23/12/2016

**E MARK**



**भारतीय मानक ब्यूरो**  
BUREAU OF INDIAN STANDARDS

Address: Block 25, Sector 10, Gurgaon  
Haryana - 122002  
Phone: 011-261096, 261108  
Fax: 011-261010  
E-mail: bis@bis.org.in  
Web: www.bis.org.in

Gurgaon Branch Office


ATTACHMENT TO LICENCE NO. CML- 320942

ENLNO	NAME OF THE LICENSEE WITH ADDRESS	PRODUCT	Q.No
101942	Malhotra Rubbers Ltd A-1/2, 10 A, 11, Site B, Surajpur Industrial Area, Greater Noida, Greater Noida, Noida U.P. 201306	Agriculture and Industrial Tyres Tyres for passenger car vehicles Agriculture and Industrial Tyres	10 14011-2001

ENDORSEMENT NO. & Date: 22.12.2015

Renewed for a further period of one year from First June Two Thousand and Nineteen to Thirty First May Two Thousand and Seventeen.

Other terms and conditions of Licence within the scope



**BIS**



**भारत सरकार**  
GOVERNMENT OF INDIA  
योगान्ध एषं उद्योग मंत्रालय  
MINISTRY OF COMMERCE & INDUSTRY  
विदेश व्यापार महानिदेशालय  
DIRECTORATE GENERAL OF FOREIGN TRADE

**मान्यता प्रमाण पत्र**  
**Certificate of Recognition**  
दो स्टार निर्यात सदन  
**TWO STAR EXPORT HOUSE** 050216000370

मैलिंग: M/S. T.Y. MEN LIMITED  
70/50A, 1ST FLOOR, RAMA ROAD, INDIA'S TRIAL AREA MOTT  
NAGAR, NAJAPGARH ROAD, NEW DELHI-110015  
(आई ई सी) संख्या: 2015/2017

दो स्टार निर्यात सदन, 2015-2020 के अवधि के अंतर्गत दो स्टार निर्यात सदन का रूप प्रदान किया जा रहा है। यह प्रमाण पत्र, वकील प्रमाण (2015-2020) के पैर 3.20 (बी) में दो स्टार सदन के निर्माण के अंतर्गत के लिए दिनांक 22.12.2015 से 28.12.2015 तक वैध होगा।

M/V: M/S. T.Y. MEN LIMITED  
70/50A, 1ST FLOOR, RAMA ROAD, INDIA'S TRIAL AREA MOTT  
NAGAR, NAJAPGARH ROAD, NEW DELHI-110015  
(ITC) संख्या: 2015/2017

are hereby ~~granted~~ the status of Two Star Export House in accordance with the provisions of the Foreign Trade Policy, 2015-2020. This Certificate is valid for a period of \_\_\_\_\_ years effective from \_\_\_\_\_ to \_\_\_\_\_ subject to the conditions prescribed in Para 3.20(b) of the Handbook of Procedures (2015-2020).

सं. No. B/ 3229  
दिनांक/Date: 22.12.2015  
एक्सपोर्ट/Place: New Delhi

(आय ई सी संख्या) (आई ई सी संख्या)

**STAR HOUSE**



**Vehicle Certification Agency**  
CONFORMITY OF PRODUCTION

This is to confirm that an assessment of

**Malhotra Rubbers Ltd.**  
A 1/2, Plot No. 10-11 & 12, Site B, Surajpur  
Industrial Area, G.B. Nagar,  
Greater Noida – 201306, U.P., India

has been carried out by the Vehicle Certification Agency and that the systems, procedures and practices observed are compliant with the Conformity of Production requirements set out in United Nations ECE Agreement of 5 October 1995 E/CEC/TRANS/505 Rev.2, amending the Agreement of 20 March 1958 in relation to the Directives/Regulations set out below.

**Scope of Assessment:**  
The Manufacture of: Agricultural Tyres  
Directive/Regulation: R106

Signed for and on behalf of VCA Date of issue: 30 December 2015



By authority of the Chief Executive Expires: 29 December 2017

Please Note: There may be surveillance visits carried out during the validation period

CA/EN/15/0006/04  
Vehicle Certification Agency,  
107, and is to be retained on formal request.  
03/00/2014

**CONFORMITY OF PRODUCTION**



Industry Services

Prüfbericht - Nr.: Test Report No.:	IND/BLR/CH/2012/1342		
Auftraggeber: Client:	Malhotra Rubbers Limited A 1/2 - 10 & 11, Site B, Surajpur Ind. Area, UPSIDC Greater Noida GAUTAM BUDDH NAGAR (DISTRICT) Pin: 201306 (UP)		
Gegenstand der Prüfung: Test Item:	Tyre Sample		
Bezeichnung: Identification:	Agriculture and Industrial Tyres		
Anlieferungsdatum: Delivery Condition:	Einwandfrei, prüfgegenstand Defect free as delivered	Eingangsdatum: Date of receipt:	20.03.2012
Prüfort: Testing location:	TÜV Rheinland (India) Pvt Ltd		
Prüfgrundlage: Test specification:	Customer requirement Determination of Anomalous ( % by Hydrogen ) in Vulcanized Rubber Material as per Directive 2005/60/EC		
Prüfergebnis: Test Result:	Please refer Annexure enclosed.		
Prüflaboratorium/ Testing Laboratory:	TÜV Rheinland Hong Kong Ltd		
zusammengestellt/ compiled by:	kontrolliert/ checked by:		
18.04.2012 Ramesh V G Manager - Industry Services	18.04.2012 Shamrugga Sunderam P Country Head Material Testing Laboratory - Industry Services		
Bildung: Date:	Name: Name:	Unterschrift: Signature:	Unterschrift: Signature:
Sonstige/ Other Aspects: -			
Anmerkungen: 01./P = angelegte Prüfgrundlage 02./P = angelegte Test Prüfgrundlage 03./P = angelegte Test Prüfgrundlage 04./P = angelegte Test Prüfgrundlage			

TÜV Rheinland (India) Pvt Ltd, Plot No 7, Electronic City Phase  
Tel: +91 08 0224301 / 0224302, Fax: +91 08 0224307

**REACH**

## Radial Flotation Tyres



**FLR 339**  
**Z POWER**

560/60 R22.5

600/55 R26.5

## Radial R1W 65 Series Tyres



**RRT 665**  
**FARM XTREME 65**

440/65 R24

540/65 R34

480/65 R28\*

540/65 R28\*

540/65 R30\*

600/65 R38\*

650/65 R38\*

650/65 R42\*

## Radial R1W 70 Series Tyres



**RRT 770**  
**FARM MAXX 70**

380/70R 24

420/70R 24

420/70R 28

480/70R 34

520/70R 38

320/70R 24\*

360/70R 24\*

480/70R 24\*

480/70R 26\*

320/70R 28\*

380/70R 28\*

480/70R 28\*

480/70R 30\*

580/70R 38\*

710/70R 38\*

620/70R 42\*

## Radial R1W 85 Series Tyres



**RRT 885**

**FARM SUPER 85**

280/85 R24

320/85 R24

340/85 R24

380/85 R24

420/85 R24

280/85 R28

320/85 R28

340/85 R28

380/85 R28

420/85 R28

380/85 R30

420/85 R30

420/85 R34

420/85 R38

460/85 R38

480/80 R42

480/80 R46

460/85 R34

340/85 R36

460/85 R30\*

380/85 R34\*

380/85 R38\*

520/85 R38\*

520/85 R42\*

520/85 R46\*

## Radial Row Crop 95 Series Tyres



**RC 950**

**SPRAYER RC 950**

210/95 R32

230/95 R32

270/95 R32

230/95 R36

230/95 R44

270/95 R44

230/95 R48

270/95 R48

270/95 R36\*

270/95 R38\*

230/95 R40\*

230/95 R42\*

270/95 R42\*

300/95 R46\*

380/90 R46\*

340/85 R48\*

320/90 R50\*

380/90 R50\*

300/95 R52\*

270/95 R54\*

320/90 R54\*

## Radial Agro Industrial Tyres



**GT 375**

**GRIP TRAC 375**

460/70 R24

500/70 R24\*



## R-1 Tractor Rear Drive Wheel Tyres



**MRT 330**  
**RUDRA**

12.4-28  
13.6-28  
14.9-28  
18.4-30



**MRT 338**  
**KESARI**

14.9-26  
12.4-28  
13.6-28



**MRT 329**  
**KIRTI**

9.50-16  
8.00-20  
8.3-20  
9.5-20  
11.2-20  
8.3-22  
9.5-22  
8.3-24  
9.5-24  
11.2-24

12.4-24  
13.6-24  
14.9-24  
16.9-24  
16.9-26  
18.4-26  
11.2-28  
12.4-28  
13.6-28  
14.9-28

16.9-28  
18.4-28  
14.9-30  
16.9-30  
18.4-30  
12.4-32  
16.9-34  
18.4-34  
20.8-34  
12.4-36

13.6-36  
12.4-38  
13.6-38  
14.00-38  
15.5-38  
16.9-38  
18.4-38  
20.8-38  
23.1-26\*  
23.1-30\*



**MRT 347**  
**MAHAVEER**

8.00-18  
12.4-28



**MRT 302**  
**M93**

5.00-12  
6.00-12





**MRT 302 RT**  
**M93 RT**

6.00-12



**MRT 356**  
**R1**

6.00-16

## Bias Row Crop Tyres



**MRT 329**  
**KIRTI**

8.3-32

5.00-21\*

9.5-32

4.00-30\*

8.3-36

7.20-30\*

9.5-36

9.50-30\*

8.3-38

4.00-36\*

11.2-38

4.50-36\*

4.50-19\*

5.00-36\*

4.00-21\*

7.2-36\*

## R-2 Tractor Rear Drive Wheel Tyres



**MRT 333**  
**CAMPÉON**

12.4-24

14.9-24

23.1-26

18.4-30

23.1-30

18.4-34

18.4-38

14.9-28\*



## Agro Forestry Tyres



**MRT 329  
KIRTI HD**

11.2-24	16.9-28	
12.4-24	16.9-30	
13.6-24	18.4-30	
14.9-24	16.9-34	
18.4-26	18.4-34	
12.4-28	13.6-38	
13.6-28	15.5-38	18.4-38
14.9-28	16.9-38	20.8-38

## Irrigation Tyres



**MRT 331  
IRRIGATOR**

14.9-24
---------



**MRT 332  
RAIN BIRD**

11.2-24
14.9-24
11.2-38



**MRT 320  
F50**

11.2-24
11.2-38



## Tractor Front Tyres



**MTF 212**  
**THREE RIB**

4.00-12

5.00-15

9.5L-15

11L-15

5.50-16

6.00-16

6.50-16

7.50-16

9.00-16

10.00-16

11.00-16

14L-16.1

7.50-18

4.00-19

6.00-19

7.50-20



**MTF 221**  
**TWO RIB**

5.50-16

6.00-16

6.50-16

7.50-16

7.50-18

6.50-20

7.50-20



**MTF 257**  
**SINGLE RIB**

4.50-10

5.20-14

5.00-16

5.50-16

6.00-16

6.50-16

6.50-20



**MTF 222**  
**TWO RIB**

4.00-16

4.50-16

5.00-16

6.00-16

7.50-16



**MTF 284**  
**FOUR RIB**

9.5L-15

11L-15

10.00-16

11.00-16

7.50-18

## Agricultural Implement & Trailer Tyres



**MAW 203**  
**AW**

7.00-12

10.0/80-12

10.0/75-15.3

11.5/80-15.3

12.5/80-15.3

6.00-16

7.50-16

10.5/65-16

13.0/55-16

13.0/75-16

10.5/80-18

12.5/80-18

13.0/65-18



**MAW 200**  
**AW**

10.0/80-12

10.0/75-15.3

11.5/80-15.3

12.5/80-15.3



**MAW 905**  
**AW**

14.0/65-16

15.0/55-17



**MAW 905 L**  
**AW**

15.0/55-17



**IMPLEMENT 995**  
**AW**

400/60-15.5



**IMPLEMENT 900**  
**AW**

400/60-15.5



**MAW 977**  
**AW**

400/60-15.5
19.0/45-17
500/50-17



**RIB 707**  
**RIB**

200/60-14.5
250/65-14.5

## Farm Implement I-1 Tyres



**MIM 104**  
**I-1**

9.5L-14	31X13.50-15
9.5L-15	6.50-16
10.00-15	7.50-16
11L-15	11L-16
7.60-15	12.5L-16
12.5L-15	16.5L-16.1
32X11.50-15	21.5-16.1

## Farm & Highway Service Tyres



**F 105**  
**FHS**

9.5L-15FI
11L-15FI
12.5L-15FI
32x11.50-15



**MAW 203**  
**AW**

10.50-16
----------



## Flotation Implement Tyres



**PRINCE 336  
FLOTATION**

400/60-15.5



**PRINCE 337  
FLOTATION**

500/50-17



**PRINCE 338  
FLOTATION**

550/60-22.5  
600/50-22.5  
600/55-22.5  
700/40-22.5



**MIM 375  
R1**

6.5/80-15

## Traction Implement Tyres



**MIM 374  
R1**

4.80/4.00-8  
5.00-10  
6.5/80-12  
11.0/65-12  
7.00-12  
6-14  
5.00-15

10.0/75-15.3  
11.5/80-15.3  
4.00-16  
6.00-16  
6.50-16  
7-16  
7.50-16

8-16  
15.0/55-17  
19.0/45-17  
7.50-18  
12.5/80-18  
7.50-20  
405/70-20

15.5/80-24  
16.5/85-24\*



## Tractor Trailer Tyres



**MTT 914**  
**KESARI**

9.00-16



**MTT 905**  
**MILITARY**

9.00-16



**ML 869 (M88)**  
**MILITARY**

6.00-16

7.00-16

7.50-16

9.00-16

7.50-20

9.00-20



**ML 653**  
**LUG**

7.50-16



**MSL 644**  
**JUPITER**

6.50-20

## Golf, Lawn & Garden Tyres



**MG 41**  
**SAW TOOTH**

18x8.50-8



**MG 23**  
**RIB**

18x8.50-8



**MG 45**  
**MAXI**

205/50-10



**MG 54**  
**Z-WIDE**

16x6.50-8  
15x6.00-6\*  
18x8.5-8\*  
20x10.00-10\*  
20x10.50-12\*  
26x12-12\*

## Trencher Tyres



**MTR 601**  
**R1**

26X12-12



**MTR 600**  
**R1**

31X15.5-15





## ADV Implement Tyres



**MIM 113**  
**KIRTI**

5.00-19

6.00-19

7.00-19



**MIM 115**  
**JAI KISAN JUNIOR**

5.00-19

7.00-19



**MIM 149**  
**KESARI**

5.00-19

6.00-19

7.00-19

8.00-19



**MIM 185**  
**MAHAVEER**

6.00-19

7.00-19

8.00-19



**MIM 176**  
**DABANG**

5.00-19

7.00-19

8.00-19



**MIM 167**  
**M95**

6.00-20



**INDUSTRIAL  
OTR  
EARTHMOVER**

## Grader Tyres



**MG2 401  
SUPER CAT**

13.00-24  
14.00-24



**MG2 402  
BLACK CAT**

13.00-24  
14.00-24



**MG2 419  
SUPER GRADER**

15.5-25  
17.5-25  
20.5-25

## ATU Tyres (All Traction Utility)



**ATU 410  
SUPER CAT**

10.5/80-18  
12.5/80-18



**ATU 482 HD  
THE BEAST**

11L-16\*  
12.5/80-18  
19.5L-24



## MPT Tyres (Multi Purpose Truck)



**MPT 446**  
**MPT**

10.0/75-15.3

11.5/80-15.3

10.5-18

12.5-18

10.5-20

12.5-20

## R4 Tyres



**MTU 428**  
**SUPER CAT**

16.9-24

17.5L-24

18.4-24

19.5L-24

21L-24

18.4-26

16.9-28



**MTU 429**  
**VP**

16.9-28

18.4-26



**MTU 430**  
**ROCKY HD**

12.5/70-16\*

15.5/60-18\*

17.5/65-20\*

16.9-24\*

16.9-28\*



## Industrial Tractor Tyres



**MIT 295  
F3**

11L-16



**MIT 293  
F3**

11L-15  
32x11.50-15

## Forklift Tyres



**MFL 437  
LOAD STAR**

18x7-8  
4.00-8  
5.00-8  
6.00-9  
6.50-10  
7.00-12  
8.15-15  
8.25-15



**MFL 438  
HD**

250-15  
300-15  
7.00-15\*  
7.50-15\*



## Skid Loader Tyres



**ML2 450  
VP**

10-16.5\*  
12-16.5\*



**ML2 455  
SKID STAR**

10-16.5  
12-16.5



**ML2 464  
SUPER CAT HD**

10-16.5  
12-16.5  
14-17.5  
15-19.5



**ML2 473  
XTREME TRAC HD**

10-16.5  
12-16.5



**ML2 474  
THE ROCK HD**

10-16.5\*  
12-16.5\*



**ML2 482  
THE BEAST HD**

10-16.5  
12-16.5



## E3/L3 Tyres



**ME3 456  
ROCK GRIP**

17.5-25

20.5-25

23.5-25



**ME3 456  
ROCKSTONE**

14.00-24

14.00-25

## Compactor Tyres



**MR3 1067  
R3**

13.5-16.1

23.1-26



**MR3 1068  
R3**

18.4-26



**MS 400  
ROLLER KING**

7.50-15

8.5/90-15K\*


7.50-16\*

9.00-20\*

11.00-20\*



## Military Tyres



6.00-16
7.00-16
7.50-16
9.00-16
7.50-20
9.00-20


**ML 869**  
**MILITARY**



9.00-16
---------

**MTT 905**  
**MILITARY**

## Sand Tyres



7.50-16
---------

**MR 501**  
**SAND STAR**



9.00-15
9.00-16
9.00-17
14.00-20
16.00-20

**MR 503**  
**SAND MAXX**



9.00-13
---------

**MR 502**  
**SAND MILE**







# COMMERCIAL RANGE

## Truck / Bus Tyres



**MR 545  
RIB**

11.00-20



**MR 554  
RIB**

9.00-20  
10.00-20



**MR 500  
FRONTIER**

8.25-20  
9.00-20  
10.00-20  
11.00-20



**MSL 689  
SEMI LUG**

10.00-20



**ML 600  
LOAD SUPER**

10.00-20  
11.00-20  
12.00-20



**ML 680  
SUMO LUG**

8.25-20  
9.00-20



## Light Truck Rib Tyres



**MR 05  
RIB**

6.50-14



**MR 500  
FRONTIER**

6.50-14

7.00-15

7.50-15

7.00-16

7.50-16

8.25-16



**MR 518  
TUFF MILLER**

6.00-14

6.50-14

6.50-15

6.70-15

7.50-15

6.00-16

6.50-16

7.50-16

## Light Truck Lug Tyres



**ML 600  
LOAD SUPER**

6.50-14

7.00-15

7.50-15

7.00-16

7.50-16

8.25-16



**ML 601  
LOAD POWER**

6.50-14\*

7.00-15\*

7.50-15\*

7.00-16\*

7.50-16\*

8.25-16\*

## Light Truck / Semi - Lug Tyres



**MSL 689**  
**M 77**

7.50-16



**MR 806**  
**KARISMA**

7.50-16



**MSL 608**  
**ULTRA MILER 92**

6.00-14  
6.40-15  
7.00-15  
7.00-16




**MSL 617**  
**HUNTER**

6.50-14



**MSL 626**  
**M 92**

6.40-15



## Ultra Light Truck Tyres (ULT)



**MR 518**  
**TUFF MILER**

4.50-10  
5.00-10  
4.50-12  
5.00-12



**MR 554**  
**TUFF RIB**

4.50-10



**ML 680**  
**SUMO LUG**

4.50-10  
5.00-10  
155D-12  
165D-13  
165D-14



**MR 572**  
**M99**

4.50-10



**MR 520**  
**LOADER 1**

4.50-10



## Ultra Light Truck Tyres



**MR 806  
KARISMA**

4.50-10



**MR 896  
LOADER**

5.50-13



**ML 600  
LOAD SUPER**

5.50-13



**MSL 644  
JUPITER**

5.00-12



**MR 522  
LOADER 2**

165D-12  
165D-13  
165D-14



**MR 525  
LOADER 3**

155D-12



## Jeep & Car Tyres



**MR 815**  
**MILER GRIP**

5.65-12



**MR 824**  
**HI GRIP**

5.50-13

5.60-13



**MR 833**  
**M 94**

5.50-13

5.60-13



**MR 842**  
**RIDER 92**

5.20-14

5.90-15



**MR 806**  
**KARISMA**

5.20-14

5.60-14



**MSL 851**  
**SEMI LUG**

F78-15



## Jeep & Car Tyres



**MR 860  
LT**

F78-15



**ML 869  
M88**

6.00-16



**MR 878  
CIVIL**

6.00-16



**MR 887  
EAGLE**

6.00-16



**MSL 635  
MK**

6.00-16



**MSL 617  
HUNTER**

6.00-16





## Three Wheeler Tyres



**MR 707**  
**HI GRIP**

3.50-8



**MR 786**  
**AUTO KING**

4.00-8



**MR 519**  
**SARTHI SUPER**

4.00-8



**MR 716**  
**KIRTI SUPER**

4.00-8



**MR 734**  
**M 94R SUPER**

4.00-8



**ML 680**  
**LUG SUPER**

4.00-8



## Motor Bike Tyres



**MR 779**  
**HI GRIP**

3.00-17  
100/90-17  
2.75-18  
3.00-18  
100/90-18  
3.25-19



**MR 797**  
**M 95**

3.00-18  
3.00-19



**MT 905**  
**RANGER**

2.75-18  
3.00-18



**MT 906**  
**X GRIP**

3.00-17  
2.75-18  
3.00-18  
100/90-18



**MT 907**  
**FIRE ZEE**

100/90-17  
120/80-17  
140/70-17



**MT 908**  
**FIRE X**

3.00-17  
100/90-17



**MT 914**  
**MAX MILER**

2.75-17  
2.75-18  
90/100-10



**MT 909**  
**RIB**

2.50-16  
2.75-17  
2.75-18

## Electric Rickshaw Tyres



**MR 707**  
**HIGH GRIP**

3.50-10



**MR 744**  
**SAFARI**

3.00-14



**MR 745**  
**SAATHI**

2.75-14



**MR 747**  
**DABANG**

90/90-12



**ML 653**  
**HAATHI**

4.00-12



Brand Presence in 85 Countries Across 5 Continents,  
World Class R&D Capabilites & Your Global Partners



**Corporate Office**  
**MRL TYRES LTD.**

Office: 50A First floor, Road No. 70, Rama Road Industrial Area, Moti Nagar, New Delhi -110015, India  
Phone: 0091-11-4999 4999 (100 Lines) Fax: 0091-11-4999 4998/97  
Email: [info@mrltyres.com](mailto:info@mrltyres.com), Web Site: [www.mrltyres.com](http://www.mrltyres.com)

**MRL TIRES USA INC.**

4520, South Buckner Blvd,  
DALLAS TX 75227  
Phone: +1-972 922 8357  
Email: [usa@mrltyres.com](mailto:usa@mrltyres.com)